



# MATERIAL SAFETY DATA SHEET

**PRODUCT:** Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

<p><b>NFPA</b></p> 	<p><b>HMIS</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: cyan;">Health Hazard</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: red;">Fire Hazard</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="background-color: orange;">Physical Hazard</td> <td></td> </tr> <tr> <td>Personal Protection</td> <td></td> </tr> </table>	Health Hazard	1	Fire Hazard	3	Physical Hazard		Personal Protection		<p><b>PPE</b></p> 	<p><b>Transport Symbol</b></p>
Health Hazard	1										
Fire Hazard	3										
Physical Hazard											
Personal Protection											

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Leader Pre-Moistened Lens Wipes  
**Product Number(s):** 75

**Recommended Use:** Lens cleaner. Instrument care. Water based cleaner.

**Supplier Information:**  
 Hilco  
 33 West Bacon Street, Plainville, Massachusetts, 02762 USA  
 Phone: 1-508-699-4406  
 Fax: 1-508-699-4579  
 Contact:  
 Contact Phone:  
**Emergency Phone: Call INFOTRAK - 1-800-535-5053**

## 2. HAZARDS IDENTIFICATION

**Potential Health Effects**

**Principal Routes of Exposure** Skin contact.

**Acute Toxicity**

- Eyes** Vapor may cause irritation.
- Skin** May be harmful in contact with skin. May cause irritation.
- Inhalation** May be harmful if inhaled. Avoid breathing vapors or mists. May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache, dizziness, vomiting and incoordination.
- Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Effects** Avoid repeated exposure. Contains a known or suspected reproductive toxin.

**Aggravated Medical Conditions** Central nervous system. Preexisting eye disorders. Blood disorders. Kidney disorders. Liver disorders. Overexposure may cause female and male reproductive disorder(s). Skin disorders. Respiratory disorders.

**Interactions w/ Other Chemicals** Use of alcoholic beverages may enhance toxic effects.

**Environmental Hazards** See section 12

# MATERIAL SAFETY DATA SHEET

PRODUCT: Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

## 3. INGREDIENTS (wettina solution only)

Chemical Name	CAS No.	% by Weight
Water	7732-18-5	75 - 90
Isopropyl Alcohol	67-63-0	10 - 25
Benzyl Amonium Chloride	68391-01-5	<1
Denatured Ethyl Alcohol	64-17-5	<0.5

## 4. FIRST AID MEASURES

<b>Eye Contact</b>	Rinse Immediately with plenty of clean water, also under eyelids, for at least 15 minutes. Keep eyes wide open while rinsing. If symptoms persist, call a physician.
<b>Skin Contact</b>	Wash with soap and water. If irritation persists, or allergic reaction occurs, call a physician.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms persist, call a physician.
<b>Ingestion</b>	DO NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Notes to Physicians</b>	Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

<b>Flammable Properties</b>	Combustible material.
<b>Flash Point</b> (°F) – Closed Cup	91°
<b>Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Hazardous Byproducts of Combustion</b>	Carbon oxides
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	Not sensitive
<b>Sensitivity to Static Discharge</b>	Yes
<b>Protective Equipment</b>	Wear self contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear.
<b>Special Precautions</b>	Solvent vapors may cause flashback
<b>NFPA</b>	<b>Health Hazard:</b> 1 <b>Flammability:</b> 3 <b>Stability:</b> 0 <b>Physical &amp; Chemical Hazards:</b>

## 6. ACCIDENTAL RELEASE & SPILL MEASURES

<b>Personal Precautions</b>	Use personal protective equipment. Avoid contact with skin and eyes. Remove all sources of ignition.
<b>Containment Methods</b>	Prevent further leakage or spillage if safe to do so.
<b>Clean-up Methods</b>	Use personal protective equipment. Soak up with absorbent material. Pick up and transfer to properly labeled containers.

# MATERIAL SAFETY DATA SHEET

**PRODUCT:** Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

## 7. HANDLING AND STORAGE

**Handling** Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin and clothing. Wear personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children.

**Storage** Keep container tightly closed. Keep away from open flames. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	+ 400 ppm STEL TWA: 200 ppm	TWA:400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 1225 mg/m <sup>3</sup> (vacated) STEL: 500 ppm	IDLH: 2000 ppm 10% LEL TWA:400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 1225 mg/m <sup>3</sup> STEL: 500 ppm

**Engineering Measures** Showers. Eyewash Stations. Ventilation Systems

**Personal Protective Equipment**

**Eye & Face Protection** No special equipment required  
**Skin & Body Protection** Protective gloves  
**Respiratory Protection** If exposure limits are exceeded or irritation is experienced. NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** .....White solid  
**Odor** .....Mild alcohol scent  
**Odor Threshold**.....no information available  
**Physical State** .....Solid. Solid containing liquid. Moist paper.  
**pH** .....7\*  
**Flash Point (°F) – Closed Cup**.....91°  
**Auto-ignition Temperature**.....no information available  
**Decomposition Temperature** .....no information available  
**Boiling Point** .....no information available  
**Melting Point** .....no information available  
**Flammability Limits in Air** .....no information available  
**Explosion Limits** .....no information available  
**Water Solubility**.....no information available  
**Solubility** .....Soluble\*  
**Evaporation Rate** .....no information available  
**Vapor Pressure** .....no information available  
**Vapor Density**.....no information available  
**Specific Gravity (@20°C)**......0.97\*  
**VOC Content** .....<20%\*

\* tested using liquid component of towelette

# MATERIAL SAFETY DATA SHEET

**PRODUCT:** Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

## 10. STABILITY AND REACTIVITY

**Stability** Stable under recommended storage conditions

**Incompatible Products** Strong oxidizing agents. Acids. Chlorinated compounds

**Conditions to Avoid** Heat. Flames. Sparks

**Hazardous Byproducts of Decomposition** Carbon Oxides

**Hazardous Reactions** Hazardous polymerization does not occur

**Hazardous Polymerization** Hazardous polymerization does not occur

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Product Information

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Water	90 mL/kg (Rat)		
Isopropyl Alcohol	4396 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4h

### Chronic Toxicity

**Chronic Toxicity** Avoid repeated exposure. Contains a known or suspected reproductive toxin.

### Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
none				

### Target Organ Effects

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated. Ecotoxicity effects of component substances follows:

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropyl Alcohol	EC50 > 1000mg/L 72h EC50 > 1000mg/L 96h	LC50=61200 mg/L Pimephales promelas 96h LC50=94900 mg/L Pimephales promelas 96h LC50=9640 mg/L Pimephales promelas 96h	EC50 > 35390 mg/L 5 min.	EC50 = 13299 mg/L 48h

Chemical Name	Log Pow
Isopropyl Alcohol	=0.05 25A°C

# MATERIAL SAFETY DATA SHEET

PRODUCT: Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

## 13. WASTE DISPOSAL

### Waste Disposal Methods

This material as supplied is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

### Contaminated Materials

Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste:

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic. Ignitable.

## 14. TRANSPORTATION

DOT ..... not regulated  
TDG ..... not regulated  
MEX ..... not regulated  
ICAO ..... not regulated  
IATA ..... not regulated  
IMDG/IMO ..... not regulated  
RID ..... not regulated  
ADR ..... not regulated  
ADN ..... not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSC ..... Complies  
DSL ..... Does not comply  
EINECS/ELINCS ..... Does not comply  
ENCS ..... Does not comply  
IECSC ..... Does not comply  
KECL ..... Does not comply  
PICCS ..... Does not comply  
AICS ..... Does not comply

# MATERIAL SAFETY DATA SHEET

**PRODUCT:** Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

## U.S. Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, part 372.

Chemical Name	CAS No.	% by Weight	SARA 313 - Threshold Values %
Isopropyl Alcohol	67-63-0	10-30	1.0

### SARA 313 / 312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Pressure Release Hazard	No
Reactive Hazard	No

### Clean Water Act

This Product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Isopropyl Alcohol				X

### Clean Air Act, Sec. 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPs) under Sec. 112 of the Clean Air Act.

Chemical Name	CAS No.	% by Weight	HAPs Data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
none						

### CERCLA

This material as supplied does not contain any substances regulated as hazardous substances under the Comprehensive Environmental response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

## U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	MA	NJ	PA	IL	RI
Isopropyl Alcohol	X	X	X		X

## International Regulations

### Mexico – Grade

Moderate risk – Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl Alcohol		Mexico: TWA=26ppm Mexico: TWA=120 mg/m <sup>3</sup> Mexico: STEL=360 mg/m <sup>3</sup> Mexico: STEL=75ppm

# MATERIAL SAFETY DATA SHEET

PRODUCT: Lens Cleaning Towelettes Canister

Issue Date: 6/10/11

Revision Date:

Revision Number:

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR), and the MSDS contains all of the information required by the CPR.

## WHMIS Hazard Class

B3 Combustible Liquid

D2B Toxic materials



Chemical Name	National Pollutant Release Inventory
Isopropyl Alcohol	X

## 16. OTHER INFORMATION

Date of Issue 10 June 2011

Revision date

Revision Note

### Hazards and Emergency Overview

Combustible material.  
May be harmful or fatal if swallowed, inhaled or absorbed through skin.  
Irritating to eyes.  
Vapors may be irritating to eyes, nose, throat and lungs.  
May cause central nervous system depression.  
May cause adverse kidney effects.  
May cause adverse liver effects  
Contains a known or suspected reproductive toxin.

#### Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, release and disposal, and is not to be considered as a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text of this MSDS.

\* \* \* END OF MATERIAL SAFETY DATA SHEET \* \* \*